Sample (Dept name here) Fire Department Hazard Assessment (1910.132(d)(2))				
Signature	- Possible Hazards	Deguized DDC		
Incident Type		Required PPE		
Structure fire (exterior)	Heat, fall, struck-by,	Full structural firefighting		
	respiratory	gear: Helmet, hood, coat, pants, gloves, boots.		
		parits, gloves, boots.		
		As needed: Eye protection,		
		SCBA		
Structure fire (interior)	Heat, fall, struck-by,	SCBA and full structural		
, , , , , , , , , , , , , , , , , , ,	respiratory	firefighting gear.		
Structure fire (overhaul)	Heat, fall, struck-by,	SCBA and full structural		
	respiratory	firefighting gear.		
		Members remain on air until		
		atmosphere is determined		
		safe through monitoring and		
		incident command.		
Alarm sounding, smell of	Heat, fall, struck-by,	Full structural firefighting		
smoke, LPG, natural gas, etc.	respiratory	gear.		
Grass/brush/wildland fire	Heat, fall	Wildland firefighting gear or		
		full structural firefighting		
		gear.		
		Chainsaw use requires		
		helmet, eye protection,		
		gloves, and full structural		
		firefighting gear or chaps.		
		5 55 1		
		Winch use requires helmet,		
		eye protection and gloves		
Vehicle fire	Heat, struck-by, crush	SCBA and full structural		
		firefighting gear.		
		Don class 3 vest if not directly		
		involved in suppression and		
	Church has an 1	after extinguishment.		
Motor vehicle incident	Struck-by, crush	Full structural firefighting		
		gear, eye protection,		
		extrication gloves, class 3 vest		

NOTE: Review, assess, and edit this document to match your operations, training, and capabilities.

Static water/Ice rescue	Drowning	Members do NOT wear
Static water/ice rescue	Drowning	
		structural firefighting gear.
		Members within 10 feet of
		water wear a PFD.
		Offensive operations require
		the use of a water/ice rescue
		suit with tie off to land based
		support team.
Swift water rescue	Drowning	Members do NOT wear
		structural firefighting gear.
		structural menghting gear.
		Manahana within 10 fact of
		Members within 10 feet of
		water wear a PFD.
		Members do NOT perform
		offensive operations. Call
		MABAS 99 team.
Rope rescue	Fall, struck-by	Support personnel will wear
		station wear or firefighting
		gear, helmet and work gloves
		(do not wear structural or
		extrication gloves)
		extileation gioves)
		Operations and technician
		level members will wear
		appropriate PPE to include
		rope rescue gloves, helmet,
		eye protection and harness.
		Members within 10 feet of
		vertical fall hazard wear
		Juneau lines.
Confined space rescue	Fall, struck-by	Same as rope rescue except
	, , ,	operations and technician
		level members will also wear
		SCBA.
		JCDA.
		Members within 10 feet of
		vertical fall hazard wear
		Juneau lines.

Trench rescue	Fall, crush	Support personnel will wear station wear or firefighting gear. Members to NOT perform offensive operations. Call
Hazardous Materials	Toxic, corrosive, radioactive	MABAS 99 team. Awareness level members do not enter the hot or warm zone.
		Operations and technician level members wear PPE selected by technician level (or higher) qualified members based on an assessment of the hazardous material.
EMS (normal exposure)	Bloodborne pathogens	Station wear, eye protection and nitrile gloves
EMS (high exposure such as deliveries or severe trauma)	Bloodborne pathogens	Station wear, face shield, nitrile gloves and disposable gown.
EMS (very high exposure such as performing aerosol generating procedures on infectious disease patients)	Bloodborne and aerosolized pathogens	Tyvek suit or equivalent (if equipped), nitrile gloves, googles, face shield and minimum N95 APR.
Other emergencies	Unknown	Members will wear PPE at the direction of the officer in charge/incident commander. Officers in charge and incident commanders will always seek a higher level of protection than may be
		necessary and then downgrade as circumstances dictate.
Station, tool, vehicle maintenance	Struck-by, crush	Eye protection, work gloves, coveralls