

STATE OF ILLINOIS – DEPARTMENT OF LABOR
160 N. LASALLE ST., STE. C-1300
CHICAGO, ILLINOIS 60601

IN THE MATTER OF:)
)
SOUTHERN ILLINOIS BUILDERS ASSOCIATION,)
ET SIMONDS CO, AND UNITED)
CONTRACTORS MIDWEST,)
)
PETITIONER(S),) STATE FILE NO. 2018-H-AS09-1978
)
v.) DATE OF NOTICE: 9/21/17
)
JOSEPH BEYER, ACTING DIRECTOR OF THE)
ILLINOIS DEPARTMENT OF LABOR, and) CERT. MAIL/RETURN RECEIPT:
THE ILLINOIS DEPARTMENT OF LABOR,) 7017 1450 0000 6514 6092
)
RESPONDENTS.)
)

NOTICE OF HEARING

PLEASE TAKE NOTICE that Joseph Beyer, Acting Director of the Illinois Department of Labor, and the Illinois Department of Labor [hereinafter, "Respondents"] have received from the Illini Asphalt Corporation, [hereinafter, "Petitioner(s)"] written objections to the prevailing wage determinations posted by the Department on its website on August 15, 2017, effective September 1, 2017, and a request for hearing on those objections pursuant to Section 9 of the Prevailing Wage Act [hereinafter, "IPWA" or "Act"], 820 ILCS 130/0.01 et seq.

Pursuant to the PWA, Article 10 of the Illinois Administrative Procedure Act, 5 ILCS 100/10-5 et seq., and 56 Ill. Admin. Code 120.100 et seq., Respondents will convene a hearing on:

DATE: OCTOBER 24, 2017
TIME: 10:00 A.M.
PLACE: ILLINOIS DEPARTMENT OF LABOR
160 NORTH LASALLE STREET, SUITE C-1300
CHICAGO, ILLINOIS 60601

ADMINISTRATIVE LAW JUDGE:

CLAUDIA D. MANLEY
CHIEF ADMINISTRATIVE LAW JUDGE
ILLINOIS DEPARTMENT OF LABOR
160 NORTH LASALLE STREET, SUITE C-1300
CHICAGO, ILLINOIS 60601

The hearing involves the written objections and hearing request filed by Petitioner(s), attached hereto and made a part hereof (Exhibit A).

The parties and their respective representatives must be prepared to proceed at the hearing. The parties must present all information, documents, records or witnesses necessary to substantiate their position(s) at the hearing.


Pursuant to 56 Illinois Administrative Code 120.640, the administrative law judge shall issue a Decision and Order. In the event no timely or proper exceptions are filed, the findings, conclusions, recommendations and order of the administrative law judge shall automatically become the decision and order of the Director of Labor.

The proceedings are subject to judicial review in accordance with the provisions of the Administrative Review Law, 735 ILCS 5/3-101 et seq. The Director of Labor's determination on the objections is final and binding unless a party to this proceeding applies for and obtains judicial review of the final administrative decision in accordance with the provisions of the Administrative Review Law.

A handwritten signature in black ink, appearing to read "Joseph Beyer". The signature is written in a cursive style with a large initial "J" and "B".

Joseph Beyer
Acting Director of Labor

2018-H-1529-1978



HESSE | MARTONE
Attorneys & Counselors

ANDREW J. MARTONE
Direct Dial 314.862.0608
andymartone@hessemartone.com

September 14, 2017

Illinois Department of Labor
900 S. Spring Street
Springfield, IL 62701

Illinois Department of Labor
Attn: Joe Beyer, Acting Director
900 S. Spring Street
Springfield, IL 62701

Re: Petition Challenging Prevailing Wage Rates Effective September 1, 2017

Dear Mr. Beyer:

This Firm represents the Southern Illinois Builders Association ("SIBA"), ET Simonds Co. ("ET Simonds"), and United Contractors Midwest ("UCM"), collectively "Petitioners." I am writing on Petitioners' behalf to provide written notice objecting to the Illinois Department of Labor's Prevailing Wage Rates Effective September 1, 2017. Notice is provided pursuant to 820 ILCS §§ 130/4 and 130/9.

SIBA represents numerous construction industry employers in Illinois that pay prevailing wage rates on public projects and who are financially affected by those rates. ET Simonds and UCM are construction industry employers in Illinois and pay prevailing wage rates on public projects and are financially affected by those rates.

Petitioners have assembled a table of the errors and omissions in the prevailing wage rates published by the Department effective July 10, 2017. I have attached the table as Exhibit A.

Petitioners request an investigatory hearing to establish the proper prevailing wage rates for the counties, regions, and types of work identified in Exhibit A.

So we may prepare for the hearing, please forward to me the information the Department of Labor relied upon in making the wage rate determinations.


Thank you for your attention to this matter. Please contact me if you have any questions.

EXHIBIT A

Sincerely,

Andrew J. Martone

AJM/sgs
enclosure



County	Classification	Objection
Alexander	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 38.42-39.36-1.5-1.5-2.0-9.65-12.11-0.00-0.64
Alexander	Sheetmetal worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Bond	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Bond	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 - 34.90 - 1.5 - 1.5 - 2.0 - 9.95 - 14.00 - .30
Bond	Electrician-West Region, All Type	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Bond	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78-1.5-1.5-2.0-5.37-14.45-0.00-0.31
Bond	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 - 34.25 - 1.5 - 1.5 - 2.0 - 9.71 - 16.25 - .42
Bond	Laborer-All Region, All Type	Prevailing wage rate should be: 26.50 - 27.00 - 1.5 - 1.5 - 2.0 - 6.30 - 19.64 - .80
Bond	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Calhoun	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.65-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Calhoun	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 - 34.90 - 1.5 - 1.5 - 2.0 - 9.95 - 14.00 - .30

Calhoun	Glazier – All Region	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Clay	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43
Clay	Plumber-All Region, BLD Type	H&W should be: \$8.72
Clay	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Clinton	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.65-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Clinton	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 – 34.90 - 1.5 - 1.5 - 2.0 - 9.95 – 14.00 - .30
Clinton	Electrician-E Region, All Type	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Clinton	Glazier-All Region, BLD Type	Prevailing wage should be: 32.78-1.5-1.5-2.0-5.37-14.45-0.00-0.31
Clinton	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Clinton	Laborer-All Region, All Type	Prevailing wage rate should be: 26.46 – 26.96 – 1.5 – 1.5 – 2.0 – 7.03 – 18.95 - .80
Clinton	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 – 34.00 – 1.5 – 1.5 – 2.0 – 9.95 – 9.40 - .40
Clinton	Plumber-E Region, BLD Type	H&W should be: \$8.72

Clinton	Plumber-NW Region, BLD Type	H&W should be: \$8.72
Clinton	Plumber-SW Region, BLD Type	H&W should be: \$8.72
Clinton	Plumber-SW Region, BLD Type	Prevailing wage rate should be: 39.05 – 41.55 – 1.5- 1.5 – 2.0 – 9.00 – 6.00 – 1.25
Clinton	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Crawford	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Crawford	Iron Worker-All Region, All Type	Prevailing wage rate should be: 30.64 – 33.64 – 1.5. 1.5 – 2.0 – 7.85 – 13.50 - .35
Crawford	Sheetmetal Worker-All Region, BLD Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Edwards	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Edwards	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Effingham	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Effingham	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Effingham	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54

Fayette	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Fayette	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Fayette	Plumber-All Region, BLD Type	H&W should be: \$8.72
Fayette	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Franklin	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43
Franklin	Plumber-All Region, BLD Type	Training rate should be \$1.90
Franklin	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Gallatin	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43
Gallatin	Plumber-All Region, BLD Type	Training rate should be \$1.90.
Gallatin	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Greene	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 – 34.90 - 1.5 - 1.5 - 2.0 - 9.95 – 14.00 - .30
Greene	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 - 1.5 – 1.5 – 2.0 – 5.37 – 14.45 - .31
Greene	Laborer-All Region, All Type	Prevailing wage rate should be: 30.59 – 31.09

		- 1.5 - 1.5 - 2.0 - 6.30 - 15.55 - 0.00 - .80
Greene	Plasterer-All region, BLD Type	Prevailing wage rate should be: 32.50 - 34.00 - 1.5 - 1.5 - 2.0 - 9.95 - 9.40 - 0.00 - .40
Greene	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Hamilton	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Hardin	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Hardin	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Jackson	Glazier -All Region, All Type	Prevailing wage rate should be: 39.79-42.18- 1.5-1.5-2.0-7.99-9.85-0.00- 0.70
Jackson	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Jasper	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Jasper	Iron Worker-All Region, All Type	Prevailing wage rate should be: 30.64 - 33.64 - 1.5. 1.5 - 2.0 - 7.85 - 13.50 - .35
Jasper	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Jefferson	Plumber-All Region, BLD Type	H&W should be: \$8.72

Jefferson	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Jersey	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Jersey	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 - 34.90 - 1.5 - 1.5 - 2.0 - 9.95 - 14.00 - 0.00 - .30
Jersey	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 - 1.5 - 1.5 - 2.0 - 5.37 - 14.45 - 0.00 - .31
Jersey	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 - 34.25 - 1.5 - 1.5 - 2.0 - 9.71 - 16.25 - .42
Jersey	Laborer-All Region, All Type	Prevailing wage rate should be: 30.59 - 31.09 - 1.5 - 1.5 - 2.0 - 6.30 - 15.55 - .80
Jersey	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 - 34.00 - 1.5 - 1.5 - 2.0 - 9.95 - 9.40 - .40
Jersey	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Johnson	HT/Frost Insulator-All region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Johnson	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Lawrence	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43

Lawrence	Iron Worker-All Region, All Type	Prevailing wage rate should be: 30.64 – 33.64 – 1.5. 1.5 – 2.0 – 7.85 – 13.50 - .35
Lawrence	Sheetmetal Worker-All Region, BLD Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Macoupin	Brick Mason-S Region, BLD Type	Prevailing wage rate should be: 33.13-34.69- 1.5-1.5-2.0-8.75-12.44- 2.00-0.90
Macoupin	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 – 34.90 - 1.5 - 1.5 - 2.0 - 9.95 – 14.00 - .30
Macoupin	Glazier-S Region, BLD Type	Prevailing wage rate should be: 32.78 –1.5 – 1.5 – 2.0 – 5.37 – 14.45 - .31
Macoupin	Iron Worker-S Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Macoupin	Laborer-All Region, All Type	Prevailing wage rate should be: 30.13 – 30.63 – 1.5 – 1.5 – 2.0 – 6.30 – 16.01 - .80
Macoupin	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 – 34.00 – 1.5 – 1.5 – 2.0 – 9.95 – 9.40 – 0.00 - .40
Macoupin	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Madison	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69- 1.5-1.5-2.0-8.75-12.44- 2.00-0.90
Madison	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 – 34.90 - 1.5 - 1.5 - 2.0 - 9.95 – 14.00 - .30

Madison	Glazier – All Region, All Type	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Madison	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Madison	Laborer-NW Region, All Type	Prevailing wage rate should be: 30.79 – 31.29 – 1.5 – 1.5 – 2.0 – 8.25 – 12.38 -0.00 – .80
Madison	Laborer-SE Region, All Type	Prevailing wage rate should be: 28.05 -28.55 – 1.5 – 1.5 – 2.0 – 6.30 – 18.09 - 0.00 – .80
Madison	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 – 34.00 – 1.5 – 1.5 – 2.0 – 9.95 – 9.40 – 0.00 - .40
Madison	Plumber-S Region, BLD Type	Prevailing wage rate should be \$39.10 -40.10 – 1.5 – 1.5 – 2.0 – 7.35 – 7.50 – 0.00 – .60
Madison	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Marion	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Marion	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 – 1.5 – 1.5 – 2.0 – 5.37 – 14.45 - .31
Marion	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Massac	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43

Massac	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Monroe	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90
Monroe	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 - 34.90 - 1.5 - 1.5 - 2.0 - 9.95 - 14.00 - .30
Monroe	Electrician-All Region, All Type	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Monroe	Glazier - All Region, All Type	Prevailing wage rate should be: 39.79-42.18-1.5-1.5-2.0-7.99-9.85-0.00-0.70
Monroe	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 - 34.25 - 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Monroe	Laborer-All Region, All Type	Prevailing wage rate should be: 27.66 - 27.16 - 1.5 - 1.5 -2.0 - 7.03 - 17.75 - .80
Monroe	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 - 34.00 - 1.5 - 1.5 - 2.0 - 9.95 - 9.40 - 0.00 - .40
Monroe	Plumber-All Region, BLD Type	Prevailing wage rate should be \$39.10 -40.10 - 1.5 - 1.5 - 2.0 - 7.35 - 7.50 - 0.00 - .60
Monroe	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Montgomery	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69-1.5-1.5-2.0-8.75-12.44-2.00-0.90

Montgomery	Cement Mason-All Region, All Type	Prevailing wage rate should be: 33.90 – 34.90 – 1.5 – 1.5 – 2.0 – 9.95 – 14.00 – .30
Montgomery	Electrician-SW Region, All Type	Prevailing wage rate should be: 39.79-42.18- 1.5-1.5-2.0-7.99-9.85-0.00- 0.70
Montgomery	Iron Worker-S Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Montgomery	Laborer-All Region, All Type	Prevailing wage rate should be: 25.74 – 26.24 – 1.5- 1.5 -2.0 – 6.30 – 20.40 - .80
Montgomery	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 – 34.00 – 1.5 – 1.5 – 2.0 – 9.95 – 9.40 - .40
Montgomery	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Perry	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 – 1.5 – 1.5 – 2.0 – 5.37 – 14.45 - 0.00 – .31
Perry	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Perry	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Pope	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Pope	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54

Pulaski	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43
Pulaski	Iron Worker-All Region, All Type	Prevailing wage rate should be: 30.90- 32.90-1.5-1.5-2.0-9.59-13.48-0.00-0.65
Pulaski	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Randolph	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 – 1.5 – 1.5 – 2.0 – 5.37 – 14.45 – .31
Randolph	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 – 34.25 – 1.5 -1.5 - 2.0 - 9.71 -16.25 - .42
Randolph	Laborer-All Region, All Type	Prevailing wage rate should be: 28.63 – 28.99 – 1.5 – 1.5 – 2.0 – 7.03 – 16.78 - 0.00 – .80
Randolph	Plumber-N Region, BLD Type	Prevailing wage rate should be: 39.05 – 41.55 – 1.5- 1.5 – 2.0 – 9.00 – 6.00 – 0.00 - 1.25
Randolph	Plumber-W Region, BLD Type	Prevailing wage rate should be \$39.10 -40.10 – 1.5 – 1.5 – 2.0 – 7.35 – 7.50 -0.00 – .60
Randolph	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82-1.5-1.5-2.0-9.25-8.84-2.09-0.54
Richland	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87-1.5-1.5-2.0-5.85-11.75-0.00-0.43
Richland	Iron Worker-All Region, All Type	Prevailing wage rate should be: 30.64 – 33.64

		- 1.5 1.5 - 2.0 - 7.85 - 13.50 - 0.00 - .35
Richland	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Saline	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Saline	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
St. Clair	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69- 1.5-1.5-2.0-8.75-12.44- 2.00-0.90
St. Clair	Cement Mason-All Region, BLD Type	Prevailing wage rate should be: 33.90 - 34.90 - 1.5 - 1.5 - 2.0 - 9.95 - 14.00 - .30
St. Clair	Electrician-All Region, All Type	Prevailing wage rate should be: 39.79-42.18- 1.5-1.5-2.0-7.99-9.85-0.00- 0.70
St. Clair	Glazier - All Region, All Type	Prevailing wage rate should be: 39.79-42.18- 1.5-1.5-2.0-7.99-9.85-0.00- 0.70
St. Clair	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 - 34.25 - 1.5 -1.5 - 2.0 - 9.71 -16.25 - 0.00 - .42
St. Clair	Laborer-N Region, All Type	Prevailing wage rate should be: 28.05 -28.55 - 1.5 - 1.5 - 2.0 - 6.30 - 18.09 - 0.00 - .80
St. Clair	Laborer-S Region, All Type	Prevailing wage rate should be: 30.79 - 31.29 - 1.5 - 1.5 - 2.0 - 8.25 - 12.38 - .80
St. Clair	Plasterer-All Region, BLD Type	Prevailing wage rate should be: 32.50 - 34.00

		- 1.5 - 1.5 - 2.0 - 9.95 - 9.40 - .40
St. Clair	Plumber-NW Region, BLD Type	Prevailing wage rate should be \$39.10 -40.10 - 1.5 - 1.5 - 2.0 - 7.35 - 7.50 - .60
St. Clair	Plumber-SE Region, BLD Type	Prevailing wage rate should be: 39.05 - 41.55 - 1.5- 1.5 - 2.0 - 9.00 - 6.00 - 1.25
St. Clair	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Union	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Wabash	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Wabash	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Washington	Brick Mason-All Region, BLD Type	Prevailing wage rate should be: 33.13-34.69- 1.5-1.5-2.0-8.75-12.44- 2.00-0.90
Washington	Glazier-All Region, BLD Type	Prevailing wage rate should be: 32.78 - 1.5 - 1.5 - 2.0 - 5.37 - 14.45 - .31
Washington	Iron Worker-All Region, All Type	Prevailing wage rate should be: 32.25 - 34.25 - 1.5 -1.5 - 2.0 - 9.71 -16.25 - 0.00 - .42
Washington	Laborer-All Region, All Type	Prevailing wage rate should be: 28.63 - 28.99 - 1.5 - 1.5 - 2.0 - 7.03 - 16.78 -0.00 - .80
Washington	Plumber-W Region, BLD Type	Prevailing wage rate should be: 39.05 - 41.55

		- 1.5 - 1.5 - 2.0 - 9.00 - 6.00 - 0.00 - 1.25
Washington	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Wayne	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Wayne	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
White	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
White	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54
Williamson	HT/Frost Insulator-All Region, BLD Type	Prevailing wage rate should be: 30.87- 31.87- 1.5-1.5-2.0-5.85-11.75- 0.00-0.43
Williamson	Sheetmetal Worker-All Region, All Type	Prevailing wage rate should be: 36.33-37.82- 1.5-1.5-2.0-9.25-8.84-2.09- 0.54

CERTIFICATE OF SERVICE

Under penalties as provided by law, including pursuant to Section 1-109 of the Code of Civil Procedure, I Ann Harrison, a non-attorney, affirm, certify or on oath state, that I served notice of the attached Notice of Hearing upon all parties to this case, or their agents appointed to receive service of process, by enclosing a copy of the Notice of Hearing in Case No. 2018-H-AS09-1978 and a copy of the Certificate of Service in an envelope addressed to each party or party's agent at the respective address shown on the Certificate of Service, having caused each envelope to be served by U.S. mail certified mail return receipt requested and at 100 W. Randolph Street, Chicago, Illinois on the 21 day of September, 2017 prior to 4:30 p.m. and placed on the Illinois Department of Labor's official website at and placed on the Illinois Department of Labor's official website at www.state.il.us/agency/idol/

So. Illinois Builders/ET Simonds/UCM
c/o Andrew J. Martone
Hesse Martone
13354 Manchester Rd., Ste. 100
St. Louis, MO 63131
andymartone@hessemartone.com

Via messenger:

Joseph Beyer
Director
Illinois Department of Labor
160 N. LaSalle St., Ste. C-1300
Chicago, IL 60601

Benno Weisberg
Illinois Department of Labor
General Counsel
160 N. LaSalle St., Ste. C-1300
Chicago, IL 60601

Ann Harrison

Subscribed and Sworn to this 21 day of September 2017

[Signature]
Notary Public

